

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO29746 Receipt Dates from 9/21/2015 to 9/21/2015

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Total Received Quantity:	37.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$617.20
Total Balance Due Quantity:	0.0000

DATE

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY.
RETOUR DE MARCHANDISES AVEC NOTRE NUMÉRO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

Page: 1 ... Continued

ADD ON TO 845127 SUR-CHARGE ADDED

MA20143403

Heat Number
699486A7

*** Chemical Analysis ***

TOTAL:

Tags 3
PCS 4
LBS 134

Quantity 10.00 SFT
PCS 2
Wt LBS 56

MTR

Heat Number
Tag No 638736
Heat Number 699486A7
ALUMINUM PLATE 7075-T651
THICK X 5.0000" X 144.0000"

3) Our order PEC-845511- 3 Your PO # 29746

Quantity 12 FT
PCS 1
Wt LBS 33

MTR

Heat Number
Tag No 638735
Heat Number MA20143403
ALUMINUM SQUARE BAR 7075-T651
X 144.0000"

2) Our order PEC-845511- 2 Your PO # 29746

Quantity 8.00 SFT
PCS 1
Wt LBS 45

MTR

Heat Number
Tag No 638737
Heat Number 699486A7
ALUMINUM PLATE 7075-T651
THICK X 8.0000" X 144.0000"

Part # 5-9 DAYS A.R.O
1) Our order PEC-845511- 1 Your PO # 29746

B I L L O F L A D I N G

Ship Date 18 Sep 15 at 15:03 From PFW
Via VIM DELIVERY
FOB CONCORD
Frt PREPAID
Route 0-0 Manifest
Trailer
SIP STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

B I L L O F L A D I N G

ALUMINIUM • LAITON • CUIVRE • MÉTALLIQUE • ACIER INOX
ALUMINIUM • BRASS • COPPER • PLASTICS • STAINLESS

8015-09-21

Rec
Rec
Rec

DATE

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY.
RETOUR DE MARCHANDISES AVEC NOTRE NUMÉRO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINIUM • BRASS • COPPER • PLASTICS • STAINLESS

Page: 2 Last

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT. *** 9:00 AM TO 4:00 PM ***
***** TEL. 800-926-2600 *****
* WE STOCK STAINLESS STEEL
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***
THYSSENKRUPP MATERIALS NA WILL CONDUCT THEIR
INVENTORY, SEPT. 24 & 25/2015. THERE WILL BE NO
CUSTOMER PICKUPS THOSE DAYS. HOWEVER, THE SALES
OFFICE WILL REMAIN OPEN.

=====

B I L L O F L A D I N G

WITH TEST REPORTS, PACKING SLIPS ARE TO SENT
TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 SKID, 1 TUBE, 1 BDL GW. 175 LBS

B I L L O F L A D I N G

No: PEC 954908

Ship Date 18Sep15 at 15:03 From PFW

Probill

Via VIM DELIVERY

FOB CONCORD

Frt PREPAID

Route 0 - 0 Manifest

Vehicle

Slp STAN IVERS (905-532-1350)

Sold To: (20115)

DART AEROSPACE

Ship From: THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship To: (1)
DART AEROSPACE



Best in Class

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

CUSTOMER PO NUMBER: 5400234504-20		WORK PACKAGE:		CUSTOMER PART NUMBER: ALFLR00984-60.5		PRODUCT DESCRIPTION: Sawed Plate	
KAISER ORDER NUMBER: LINE ITEM:		SHIP DATE:		ALLOY:		CLAD:	
1180687		11/19/2014		7075		BARE	
WEIGHT SHIPPED:		QUANTITY:		B/L NUMBER:		GUAGE:	
3460 LB		10 PCS EST.		2050907		0.3750 IN	
SHIP TO:		SOLD TO:		COPPER & BRASS SALES		ATTN: ACCOUNTS PAYABLE	
FRESNO, CA 93727 US		P.O. Box 5116		SOUTHFIELD, MI 48086 US			

MHU 1824374: LOT 699486A7: 4 pieces
MHU 1838104: LOT 107817B9: 6 pieces

Certified Specifications

AMS 4045/Revk AMS-QQ-A-250/12/Reva ASTM B 209/Rev10

Test Results:

Test Code: 1512 LOT: 107817B9 CAST: 669 DROP: 15 INGOT: 3

Melted in USA
(ASTM E8/B557)
(EN 2002-1)
Tensile: Temper
T651
Dir/#Tests LT / 02 (Min:Max)
Ultimate KSI (MPa) Yield KSI (MPa) Elongation %
84.6 : 85.2 74.5 : 74.9 12.2 : 13.3
(583 : 587) (514 : 516)

(ASTM E1251) Chemistry: SI FE CU MN MG CR ZN TI V ZR OTHER
Actual 0.08 0.19 1.4 0.02 2.5 0.19 5.5 0.03 0.01 0.01 TOT 0.05
LOT: 699486A7 CAST: 651 DROP: 39 INGOT: 4

Melted in USA
(ASTM E8/B557)
(EN 2002-1)
Tensile: Temper
T651
Dir/#Tests LT / 02 (Min:Max)
Ultimate KSI (MPa) Yield KSI (MPa) Elongation %
86.0 : 87.1 75.6 : 77.4 13.0 : 13.5
(593 : 601) (521 : 534)

(ASTM E1251) Chemistry: SI FE CU MN MG CR ZN TI V ZR OTHER
Actual 0.07 0.14 1.5 0.02 2.7 0.20 5.8 0.02 0.01 0.00 TOT 0.04

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>



Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

Chemistry:		SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	MAX	TOT	OTHER
MIN		0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	0.05	0.05	0.05
MAX		0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	0.15	0.15	0.15

Aluminum Remainder

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order, * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. * was melted in the United States of America or a qualifying country per DPA 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DPA 252.225 for domestic content. * has been thermally processed in compliance with AMS 2772, where applicable. * is mercury free, within the limits of detection of ASTM B1251 (<1ppm). * is in compliance with ROHS 2, European Union Directive 2011/65/EU. * is in compliance with and regularly monitors any updates to the European Chemical Agency, REACH regulations, (EC) n21907/2006. * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act. Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum Laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR

Certified Inspection Report

12/05/14
00:25:08

Alcoa Inc.
Massena Operations
Park Avenue East, Massena, NY 13662



ALCOA

Customer Copper Brass Sales	Customer P.O. No. 5400239838	Customer Part No. (ALSQ00010)	Alcoa Order No. MMC-B3663- -010	Govt. Contract No.
Ship To Copper and Brass Sales, I 13338 Orden Dr. Building Santa Fe Springs, CA 906	Weight Shipped 1,843 lbs	Product CFRB-CF SQ	Specific Length 12 FT	BOL 000162524
	Size 1.50000 IN	Shape SQ	Config 12 FT	QRR

Specifications:

ASTM B211-12E1
AMS 4123H
COA-225/9E
AMS-QQA-225/9
Material conforms to T6 reqmts

Product produced and marked to the requirements of AMS-QQ-A-225/9 also meets the requirements of QQ-A-225/9
Product produced and marked to the requirements of QQ-A-225/9 also meets the requirements of AMS-QQ-A-225/9

TEST REQUIREMENTS		Test	Test	Test	Test	Test	Test	Test	Test	Test	Test
		U.T.S.	T.Y.S.	%Elong							
Max:		77.0	66.0	07.0							
Min:											
TEST RESULTS		Test	Test	Test	Test	Test	Test	Test	Test	Test	Test
Lot / Work Order		U.T.S.	T.Y.S.	%Elong							
MA20143403		82.0	75.3	16.5							
Max:		82.0	75.3	16.5							
Min:											

When 2 or more tests per lot are made, the highest and lowest values are reported.
Analysis obtained from one or more samples in this lot.

TEST ABBREVIATIONS		U.T.S.		Tensile Strength KSI		T.Y.S.		Tensile Yield Strength KSI		2% offset		%Elong		Elongation % in 2"	
Aluminum Association Chemical Composition Limits (in Weight %)															
ALLOY	7075	MAX		%SI	%FE	%CU	%MN	%MG	%CR	%ZN	%TI	%Others	%AL		
		MIN		0.40	0.50	2.0	0.30	2.9	0.28	5.1	0.20	0.05	0.15	Rem	
						1.2		2.1	0.18	5.1		Each	Total		

Actual Started Chemistry

LOT/WORK ORDER	MAX	%SI	%FE	%CU	%MN	%MG	%CR	%ZN	%TI	%OE	%OT	%AL
	MIN	0.06	0.14	1.6	0.01	2.5	0.20	5.9	0.02	LT 0.05	LT 0.15	Rem
MA20143403				1.6	0.01	2.5	0.20	5.7	0.02			

NOTES:

Material compliant with DFARS 252.225-7001 (Buy American Act)
Mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product.
This alloy meets the requirements of EU 2011/65/EC (RoHS) and EU 2000/53/EC for lead, mercury, cadmium and hexavalent chromium.

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2404091690
CstAr CstOr 269821
Wgt.: 33 LB Date 09/11/2015

Page 1
Thomas Sanchez

Certified Inspection Report

12/08/14
00:25:08

Alcoa Inc.
Massena Operations
Park Avenue East, Massena, NY 13662
Govt. Contract No.
Alcoa Order No.
MMC-B3663- -010



ALCOA

Customer	Customer P.O. No.	Customer Part No.	Govt. Contract No.
Copper Brass Sales	5400239838	(ALSQ00010)	

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2404091690
CstAr CstOr 269821
Wgt.: 33 LB Date 09/11/2015

Page 2
Tomas Sanchez



CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

3

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

CUSTOMER PO NUMBER: 5400234504-20		WORK PACKAGE:	CUSTOMER PART NUMBER: ALFLR00984-60.5		PRODUCT DESCRIPTION: Sawed Plate	
KAISER ORDER NUMBER: LINE ITEM:		SHIP DATE:	ALLOY:	CLAD:	TEMPER:	
1180687		2	11/19/2014	7075	BARE	T651
WEIGHT SHIPPED:		QUANTITY:	B/L NUMBER:	GUAGE:	WIDTH:	LENGTH:
3460 LB		10 PCS EST.	2050907	0.3750 IN	60.500 IN	144.500 IN
SHIP TO:						
COPPER & BRASS SALES 6450 EAST HOME FRESNO, CA 93727 US						
COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 US						

MHU 1824374: LOT 699486A7: 4 pieces
MHU 1838104: LOT 107817B9: 6 pieces

Certified Specifications

AMS 4045/RevK AMS-QQ-A-250/12/Reva ASTM B 209/Rev10

Test Code: 1512
Test Results:

LOT: 107817B9 CAST: 669 DROP: 15 INGOT: 3

Melted in USA
(ASTM E8/B557)
(EN 2002-1)
Tensile: Temper
T651
Dir/#Tests
Ultimate KSI (MPa) Yield KSI (MPa) Elongation %
LT / 02 (Min:Max) 84.6 : 85.2 74.5 : 74.9 12.2 : 13.3
(583 : 587) (514 : 516)

(ASTM E1251) Chemistry: SI FE CU MN MG CR ZN TI V ZR OTHER
Actual 0.08 0.19 1.4 0.02 2.5 0.19 5.5 0.03 0.01 0.01 TOT 0.05
LOT: 699486A7 CAST: 651 DROP: 39 INGOT: 4

Melted in USA
(ASTM E8/B557)
(EN 2002-1)
Tensile: Temper
T651
Dir/#Tests
Ultimate KSI (MPa) Yield KSI (MPa) Elongation %
LT / 02 (Min:Max) 86.0 : 87.1 75.6 : 77.4 13.0 : 13.5
(593 : 601) (521 : 534)

(ASTM E1251) Chemistry: SI FE CU MN MG CR ZN TI V ZR OTHER
Actual 0.07 0.14 1.5 0.02 2.7 0.20 5.8 0.02 0.01 0.00 TOT 0.04

CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER
ALUMINUM
FABRICATED PRODUCTS

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

Chemistry: 7075											
SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	MAX	OTHER
0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	0.05	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	0.15

Aluminum Remainder

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order: * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. * was melted in the United States of America or a qualifying country per DPA 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DPA 252.225 for domestic content. * has been thermally processed in compliance with AMS 2772, where applicable. * is mercury free, within the limits of detection of ASTM B1251 (<1ppm). * is in compliance with RoHS 2, European Union Directive 2011/65/EU. * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n1907/2006. * is free of conflict minerals, as defined in Section 15.2 of the Dodd-Frank Act. Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum Laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: H7075T6B35.000X0.3#75 DATE: 15-09-22

MATERIAL CERT REC'D: 1/25 QUANTITY RECEIVED: 24.000 QUANTITY INSPECTED: 24.000 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3.75 THICKNESS RECEIVED: 3.85" SHEET SIZE ORDERED: 12/14 SHEET SIZE RECEIVED: 114.750X54 12/14

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y	
CORRECT FINISH	Y	
CORROSION	Y	
CORRECT GRAIN DIRECTION	Y	
CORRECT MATERIAL	Y	
CORRECT THICKNESS	Y	
PHOTO REQUIRED	Y	
CORRECT MATERIAL	Y	
CORRECT REF # TO LINK CERT	Y	
CORRECT MATERIAL IDENTIFICATION	Y	69948647
CORRECT # ON THE MATERIAL	Y	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.	RECORD RESULTS BELOW
TYPE OF MATERIAL	HRC
SIZE OF TEST SAMPLE	HRB
HARDNESS / DUROMETER READING	DUR A
	DUR D

Testers located in the Quality Office

QC 18 INSPECTION **ENGINEERING SIGNOFF (if required)**

INSPECTED BY: DAS 38 9-SEP 22 DATE: _____

SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: H703576 B0.375x8.0

DATE: 15-03-22

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 12.000
 QUANTITY INSPECTED: 12.000
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.375
 THICKNESS RECEIVED: 1.385
 SHEET SIZE ORDERED: 10/4
 SHEET SIZE RECEIVED: 144.250 x 8.195

PO / BATCH NO: 29746 / H133215

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	
CORROSION	<input checked="" type="checkbox"/> Y	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	
CORRECT # ON THE MATERIAL	<input checked="" type="checkbox"/> Y	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

Testers located in the Quality Office

QC 18 INSPECTION	
INSPECTED BY: <u>38</u>	DATE: <u>SEP 22 2015</u>
SIGNED OFF BY: <u>9-89</u>	DATE: <u>SEP 22 2015</u>
ENGINEERING SIGNOFF (if required)	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Purchase Order ID PO29746
Purchase Order Date 9/10/2015
PO Print Date 9/21/2015
Page Number 1 of 3

Ship To : DART AEROSPACE LTD

Order From : VC-COP01
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX
4275, POSTAL "A"
TORONTO, ON M5W 5V8
CA

1270
ABERD
EEN
HAWKE
SBURY,
ON
K6A
1K7
CANAD
A

Buyer Chantal Lavoie
Customer POID 10127-2607
Customer Tax # Net 30
Terms CAD
Currency FCA - (Free Carrier)
FOB

Contact Name 905 669 9444
Vendor Phone 905 738 9033
Vendor Fax
Ship To Contact
Ship To Phone
Ship Method VENDORS TRUCK
Ship Acct

Line	Item ID	Description/	Reg Date/	Reg Qty	Extended
Line	Vendor Part Number	Line Comments			Price

3	M7075T6B0.375X8.000	7075-T6 Plate 0.375" X 8.000", QQ-A 250/12	9/23/2015	12.00	\$335.00
		Yes	9/23/2015		

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

4	M7075T6B1.500X1.500	7075 T6 BAR 1.500 x 1.500	9/21/2015	12.00	\$344.00
		Yes	9/21/2015		

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

PO Instructions: quotation:
pec si-844650
pec si-843432

9/10/2015

DAS
38
9-89

Line Total:

6015-05-21

OUTSTANDING PO REPRINT



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Purchase Order ID PO29746
Purchase Order Date 9/10/2015
PO Print Date 9/21/2015

OUTSTANDING PO REPRINT

Ship To : DART AEROSPACE LTD

1270
ABERD
EEN
HAWKE
SBURY,
ON
K6A
1K7
CANAD
A

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX
4275, POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name 905 669 9444
Vendor Phone 905 738 9033
Vendor Fax
Ship To Contact
Ship To Phone
Ship Method VENDOR'S TRUCK
Ship Acct

Line	Item ID	Vendor Part Number	Description/ Mfg ID	Reg Date/ Taxable	Reg Qty	Extended Price
------	---------	--------------------	------------------------	----------------------	---------	-------------------

5	M7075T6B5.000X0.375	7075-T6 BAR 5.000" X	0.375"	9/21/2015	Yes	24.00
Line Total: \$344.00						

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE						
9/21/2015						
Line Total: \$477.00						

8015-09-21
DAS
38
9-89

PO Instructions:
quotation:
pec st-844650
pec st-843432



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Purchase Order ID PO29746
Purchase Order Date 9/10/2015
PO Print Date 9/21/2015
Page Number 3 of 3

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL-C/O T27540/PO BOX
4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA
Ship To : DART AEROSPACE LTD
1270
ABERD
EEN
HAWKE
SBURY,
ON
K6A
1K7
CANAD
A

Buyer Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB FCA - (Free Carrier)

VENDOR'S TRUCK

Ship Method

Ship Acct

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Ship To Contact

Ship To Phone

Vendor's Truck

Line	Item ID	Description/	Reg Date/	Reg Qty	Extended
Nbr	Vendor Part Number	Mfg ID	Taxable		Price
Line Comments					
Delivery Comments					

7	71401-45	PROCUREMENT	9/21/2015	1.00	\$0.00
QUALITY CLAUSES					
No					
9/21/2015					

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

9-89
38
DAS
9-89

Line Total: \$0.00
Outstanding PO Total: \$1,156.00

PO Instructions: quotation:
pec st-844650
pec st-843432

Change Nbr: 1
Change Date: 9/10/2015
Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100